



**WD-40**<sup>®</sup>  
available from us since 1982



## WD-40® spray cans



**WD-40®  
spray can  
100 ml**

article number  
1034 0001

packaging unit  
24-unit can display



**WD-40®  
spray can  
400 ml smart straw®**

article number  
1034 0017

packaging unit  
24-unit can display



**WD-40®  
spray can  
400 ml 'FLEXIBLE'  
with high-quality,  
individually adjustable  
metal spray hose**

article number  
1034 0016

packaging unit  
6-unit box


## WD-40® canister items



**WD-40®  
canister  
5 liter**

article number  
1034 0005

packaging unit  
canister



**WD-40®  
canister  
25 liter**

article number  
1034 0006

packaging unit  
canister



**WD-40®  
barrel  
200 liter**

article number  
1034 0007

packaging unit  
barrel

## WD-40® accessories



**hand sprayer - plastic**  
**500 ml**  
with high-quality  
brass-atomizer nozzle  
( without content )

article number  
1034 0015

packaging unit  
single unit

**latest prices on our website via**

**[www.bwz-schwingungstechnik.de/en/shopfloor-demand/wd-40](http://www.bwz-schwingungstechnik.de/en/shopfloor-demand/wd-40)**

### **WD-40® cleans and protects**

loosens stubborn dirt, oil-, grease- and adhesive residue and facilitates their removal -  
leaves a protective film

### **WD-40® removes squeaking**

for optimum performance of moving parts, removes and avoids squeaking and creaking -  
without silicone, hence no stickiness

### **WD-40® loosens rusted parts and locked mechanisms**

infiltrates layers of corrosion, quickly loosens locked metal parts, screws and nuts

### **WD-40® protects from corrosion**

leaves a thin protective film, which prevents accumulation of moisture and rust on metal parts

### **WD-40® dispels moisture**

keeps electric and electronic mechanisms free from moisture, thus preventing leakage currents

WD-40® multi-function product is free from silicone, resin and PTFE

**WD-40®**  
**available from us since 1982**

Technical modifications subject to change! Any previous versions of this document are herewith null and void!